



6929 N. Lakewood Avenue
Tulsa, OK 74117

PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)

August 30, 2024

Carrier: Verizon New Jersey Inc., One Verizon Way, Basking Ridge 07920

Contact: For additional information on these planned network changes, please contact:

Lisa Thompson
Global Data Network Engineering
Verizon Wireline Network Operations
13100 Columbia Pike, Floor 5 Room 505
Silver Spring, MD 20904
410-375-9777

Quadre Washington
Associate Director – Global Data Network Engineering
Verizon Wireline Network Operations
320 Saint Paul Place
Baltimore, MD 21202
410 259 9829

Implementation Date: On or after March 1, 2025

Planned Network Change(s) will occur at the following locations in New Jersey:

Verizon Central Office	Address	CLLI
Washington NJ DMS100 Switch	167 W. Washington Avenue Washington, NJ 07882	WASHNJWADS5
New Brunswick NJ C20 Switch	18 Paterson Street New Brunswick, NJ 08901	NBWKNJNBPS2

This notice may also be viewed at <http://www.verizon.com/about/terms-conditions/network-disclosures>

PLEASE NOTE:

- All references to the Washington NJ DMS100 switch are associated with CLI code WASHNJWADS5 and will not be repeated throughout this notice.
- All references to the New Brunswick NJ C20 switch are associated with CLI code NBWKNJNBPS2 and will not be repeated throughout this notice.

Description of the Planned Network Change(s):

The Verizon Washington NJ DMS100 switch, located at 167 W. Washington Avenue, Washington, NJ 07882, will be retired and removed from the network after all traffic served by this switch is migrated to the Verizon New Brunswick NJ C20 switch, located at 18 Paterson Street, New Brunswick, NJ 08901. All traffic to be migrated includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC/IXC), wireless, and paging traffic.

Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):

Competitive local exchange carriers (CLECs), interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers will need to secure new trunk groups built to the New Brunswick NJ C20 switch or have existing trunk groups to that switch augmented. Carriers that are code holders for access connectivity in the Washington NJ DMS100 switch will be required to reposition the codes to the New Brunswick NJ C20 switch.

All ASRs for the New Brunswick NJ C20 switch must be received no later than January 23, 2025, to provide sufficient time to migrate the traffic described above. These direct end office trunk (DEOT) interconnections will support traffic migration for the Washington NJ DMS100 switch prior to its eventual decommissioning. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Washington NJ DMS100 switch (**on or after March 1, 2025**). This will serve to guide interconnect re-routes of traffic for the two (2) native codes currently served by the Washington NJ DMS100 switch to reflect the New Brunswick NJ C20 switch as the new home switch. All ASRs for the New Brunswick NJ C20 switch must carry the project code of **WASHNJWADS5**.